

Allomatic Friction Dimensions

OD	Teeth	Thick	Part #
3.276	20	0.032	2542
3.700	33	0.062	2950
3.767	22	0.032	2787
3.775	38	0.048	2874
3.775	38	0.048	2873
3.785	40	0.040	2835
3.855	36	0.032	2780
3.875	12	0.040	2809
3.875	12	0.032	2819
3.875	12	0.040	2807
3.875	12	0.040	2808
3.931	34	0.032	2881
3.932	38	0.040	2895
3.935	17	0.035	2918
4.015	24	0.040	2667
4.045	30	0.032	2207
4.057	22	0.032	2786
4.089	20	0.040	2742
4.089	20	0.032	2741
4.170	38	0.048	2875
4.185	22	0.040	2928
4.232	36	0.040	2934
4.240	39	0.040	2925
4.240	8	0.040	2940
4.245	24	0.040	2676
4.245	32	0.047	2673
4.246	36	0.032	2887
4.248	30	0.032	2208
4.250	36	0.032	2683
4.250	36	0.032	2783
4.255	34	0.040	2969
4.255	26	0.040	2968
4.255	26	0.040	2977
4.262	34	0.032	2820
4.262	34	0.040	2817
4.262	34	0.032	2813
4.306	23 IN 24	0.048	2994
4.325	38	0.048	2829
4.325	38	0.048	2879
4.330	22	0.032	2845
4.330	22	0.032	2840
4.370	40	0.032	2908
4.399	32	0.055	2446
4.399	32	0.055	2451
4.399	32	0.055	2438
4.399	32	0.055	2442
4.410	24	0.032	2776
4.410	24	0.032	2757
4.414	30	0.032	2525
4.415	21	0.032	2751
4.415	20	0.032	2755

Allomatic Friction Dimensions

4.435	28	0.032	2917
4.460	29	0.040	2594
4.480	34	0.035	2712
4.480	34	0.035	2714
4.490	40	0.032	2916
4.490	36	0.048	2473
4.490	24	0.032	2694
4.490	24	0.032	2689
4.500	30	0.032	2196
4.502	36	0.032	2991
4.525	16	0.032	2846
4.525	16	0.032	2841
4.525	24	0.040	2680
4.525	24	0.040	2681
4.525	44	0.032	2959
4.528	43	0.032	2816
4.528	8 EXT.	0.115	2471
4.528	32	0.085	2370
4.528	32	0.032	2385
4.528	8 EXT.	0.048	2472
4.528	43	0.032	2903
4.555	38	0.040	2900
4.555	41	0.048	2876
4.555	38	0.040	2892
4.555	44	0.040	2899
4.555	41	0.048	2894
4.563	42	0.035	2336
4.563	42	0.035	2688
4.563	42	0.035	2357
4.563	42	0.035	2436
4.570	44	0.040	2898
4.570	44	0.040	2897
4.595	41	0.032	2685
4.600	32	0.032	2905
4.600	18	0.032	2745
4.620	30	0.032	2514
4.631	28	0.032	2912
4.640	29	0.032	2064
4.640	50	0.032	2850
4.645	24	0.040	2682
4.646	32	0.040	2517
4.646	30	0.032	2429
4.646	32	0.040	2500
4.646	32	0.032	2437
4.646	32	0.051	2449
4.647	50	0.040	2784
4.647	24	0.040	2955
4.647	24	0.040	2954
4.650	20	0.040	2798
4.653	42	0.032	2228
4.653	42	0.032	2223
4.655	72	0.032	2381

Allomatic Friction Dimensions

4.655	72	0.032	2378
4.655	72	0.032	2374
4.655	72	0.032	2371
4.670	42/44	0.048	2901
4.680	36	0.032	2518
4.680	40	0.040	2935
4.685	42	0.032	2243
4.695	28	0.040	2763
4.695	8	0.048	2923
4.708	30	0.032	2197
4.708	30	0.048	2201
4.715	31 IN 34	0.048	2240
4.715	31 IN 34	0.048	2244
4.725	44	0.047	2867
4.725	44	0.047	2878
4.725	44	0.047	2877
4.730	42	0.048	2902
4.764	49	0.032	2832
4.764	49	0.032	2831
4.765	32	0.085	2369
4.770	31	0.032	2593
4.770	24	0.032	2338
4.796	24	0.032	2788
4.796	24	0.032	2791
4.800	30	0.032	2088
4.802	30	0.040	2687
4.830	44	0.048	2861
4.840	21	0.040	2973
4.843	24	0.032	2236
4.843	36	0.032	2111
4.843	24	0.032	2235
4.845	24	0.040	2932
4.850	40	0.032	2077
4.850	24	0.048	2554
4.853	30	0.040	2595
4.854	44	0.048	2921
4.860	35	0.032	2210
4.860	48	0.055	2387
4.880	42	0.032	2211
4.882	8	0.040	2801
4.885	42	0.048	2859
4.890	47	0.032	2403
4.890	47	0.032	2404
4.890	49	0.040	2410
4.890	49	0.040	2411
4.892	32 IN 48	0.032	2376
4.892	48	0.032	2237
4.892	48	0.032	2372
4.892	32 IN 48	0.032	2373
4.892	48	0.032	2375
4.892	48	0.032	2377
4.892	32 IN 48	0.032	2379

Allomatic Friction Dimensions

4.892	48	0.032	2380
4.892	16	0.032	2382
4.915	30	0.032	2759
4.920	40	0.032	2911
4.935	20	0.032	2754
4.940	45	0.032	2677
4.940	45	0.032	2529
4.940	45	0.032	2678
4.948	36	0.060	2331
4.960	40	0.032	2996
4.960	40	0.040	2967
4.960	40	0.040	2966
4.960	30	0.040	2740
4.960	40	0.032	2964
4.961	44	0.040	2818
4.961	44	0.040	2825
4.961	44	0.040	2824
4.973	32 IN 40	0.040	2984
4.976	40	0.040	2980
4.976	40	0.035	2998
4.976	40	0.040	2988
4.976	42	0.032	2847
4.976	42	0.032	2842
4.976	40	0.040	2989
4.976	40	0.040	2995
4.977	46	0.032	2686
4.977	46	0.032	2684
4.985	49	0.032	2833
4.989	12 EXT.	0.055	2452
4.989	12 EXT.	0.055	2439
4.989	12 EXT.	0.055	2447
4.990	46	0.040	2947
4.990	46	0.040	2945
4.990	47	0.040	2949
4.990	24 IN 48	0.040	2869
4.990	24 IN 48	0.055	2870
4.990	16	0.055	2871
5.000	30	0.032	2540
5.000	38	0.032	2079
5.000	38	0.032	2110
5.000	38	0.032	2075
5.000	10	0.035	2078
5.010	30	0.048	2858
5.030	36	0.032	2702
5.030	36	0.032	2652
5.039	40	0.032	2883
5.039	30	0.032	2717
5.039	30	0.032	2716
5.040	42	0.040	2764
5.042	8	0.032	2862
5.042	8	0.032	2863
5.042	45	0.048	2896

Allomatic Friction Dimensions

5.042	45	0.055	2891
5.042	30	0.032	2719
5.042	45	0.048	2889
5.042	30	0.032	2725
5.042	30	0.032	2723
5.050	44	0.048	2860
5.055	20	0.055	2388
5.059	30	0.035	2261
5.060	45	0.040	2433
5.060	45	0.040	2522
5.060	45	0.040	2434
5.065	36	0.040	2642
5.094	32 IN 40	0.040	2983
5.099	40	0.032	2573
5.099	40	0.040	2804
5.102	36	0.032	2186
5.110	40	0.032	2909
5.115	24	0.048	2556
5.115	24	0.048	2561
5.118	38	0.032	2444
5.118	38	0.032	2455
5.118	38	0.032	2445
5.120	51	0.040	2960
5.120	51	0.055	2957
5.120	45 IN 54	0.048	2951
5.120	44	0.040	2765
5.120	51	0.040	2958
5.137	18	0.040	2743
5.151	30	0.032	2171
5.160	44	0.032	2855
5.160	12	0.048	2555
5.160	44	0.032	2849
5.160	44	0.032	2851
5.165	36	0.040	2836
5.165	36	0.040	2839
5.179	32 IN 40	0.040	2982
5.179	32 IN 40	0.040	2999
5.179	40	0.040	2990
5.180	40	0.040	2195
5.180	40	0.040	2981
5.185	40	0.040	2937
5.192	49	0.040	2893
5.205	36	0.060	2330
5.218	30	0.040	2810
5.218	30	0.040	2805
5.220	30	0.032	2158
5.225	30	0.032	2728
5.225	30	0.030	2570
5.228	89	0.032	2383
5.231	44	0.048	2919
5.234	30	0.032	2726
5.242	22	0.040	2942

Allomatic Friction Dimensions

5.250	45	0.032	2227
5.250	45	0.032	2178
5.250	45	0.032	2179
5.250	45	0.032	2226
5.250	45	0.032	2321
5.250	45	0.032	2319
5.250	45	0.032	2320
5.250	18	0.040	2730
5.250	18	0.040	2735
5.250	45	0.032	2322
5.255	42/44	0.040	2054
5.270	24	0.040	2931
5.276	24	0.032	2232
5.276	24	0.032	2231
5.276	32	0.032	2230
5.300	30	0.040	2856
5.300	30	0.032	2888
5.305	36	0.032	2544
5.307	48	0.032	2543
5.310	51	0.040	2930
5.310	32	0.032	2456
5.310	24	0.048	2558
5.310	51	0.040	2929
5.310	32	0.040	2430
5.313	41	0.030	2650
5.313	41	0.030	2700
5.313	41	0.030	2704
5.313	41	0.030	2653
5.313	41	0.030	2708
5.315	18	0.040	2448
5.315	18	0.040	2443
5.315	18	0.040	2440
5.315	18	0.040	2441
5.328	51	0.040	2094
5.335	24	0.032	2494
5.345	48 IN 57	0.055	2953
5.345	48 IN 57	0.055	2956
5.360	30	0.032	2102
5.360	45	0.032	2229
5.370	24	0.048	2562
5.374	46	0.040	2821
5.374	40	0.040	2501
5.374	40	0.040	2509
5.374	40	0.040	2510
5.374	40	0.040	2516
5.375	24	0.048	2557
5.375	49	0.035	2828
5.376	45	0.032	2462
5.385	42	0.040	2662
5.392	40	0.032	2913
5.416	32	0.032	2750
5.416	32	0.032	2760

Allomatic Friction Dimensions

5.425	24	0.040	2066
5.425	44	0.035	2938
5.425	38	0.032	2080
5.430	30	0.040	2668
5.430	30	0.040	2747
5.430	42	0.032	2081
5.433	28	0.032	2637
5.433	28	0.032	2639
5.433	28	0.032	2633
5.435	36	0.032	2711
5.440	40	0.032	2200
5.445	36	0.032	2748
5.445	42	0.032	2457
5.472	28	0.032	2752
5.480	54	0.032	2531
5.480	54	0.032	2534
5.500	28	0.040	2927
5.500	24	0.048	2559
5.512	32	0.032	2386
5.530	44	0.032	2571
5.530	48	0.032	2199
5.550	47	0.040	2827
5.580	36	0.048	2941
5.585	22	0.048	2173
5.585	44	0.040	2986
5.585	33 IN 44	0.032	2993
5.585	33 IN 44	0.040	2872
5.585	33 IN 44	0.040	2963
5.585	33 IN 44	0.040	2962
5.585	33 IN 44	0.040	2976
5.585	33 IN 44	0.040	2965
5.590	19 IN 22	0.048	2245
5.590	19 IN 22	0.048	2241
5.599	51	0.040	2826
5.600	51	0.040	2169
5.610	36	0.040	2838
5.610	36	0.040	2837
5.620	48	0.032	2882
5.620	24	0.032	2880
5.620	30	0.032	2781
5.630	58	0.032	2926
5.655	48	0.032	2524
5.660	30/36	0.048	2055
5.670	30	0.040	2720
5.675	24	0.040	2058
5.700	48	0.032	2852
5.705	24	0.075	2390
5.710	24	0.048	2865
5.725	55	0.040	2567
5.737	50	0.032	2789
5.737	50	0.032	2792
5.737	12	0.032	2535

Allomatic Friction Dimensions

5.740	57	0.032	2219
5.748	63	0.032	2220
5.748	40	0.032	2209
5.748	63	0.032	2217
5.750	20	0.032	2703
5.750	20	0.032	2710
5.750	20	0.032	2707
5.750	20	0.032	2706
5.750	20	0.032	2705
5.754	52	0.030	2221
5.780	30	0.048	2246
5.780	30	0.032	2885
5.780	30	0.048	2886
5.780	30	0.032	2884
5.783	62	0.032	2970
5.783	62	0.032	2974
5.785	39	0.032	2159
5.790	56	0.040	2563
5.800	30	0.032	2738
5.800	28	0.032	2777
5.800	30	0.040	2739
5.800	30	0.040	2731
5.830	30	0.032	2084
5.830	36 IN 48	0.032	2978
5.830	36 IN 48	0.032	2979
5.838	36	0.032	2732
5.838	36	0.032	2737
5.838	36	0.032	2736
5.838	36	0.032	2733
5.845	30	0.051	2587
5.870	30	0.032	2103
5.870	61	0.032	2815
5.876	34	0.040	2727
5.880	38	0.040	2758
5.880	8	0.040	2724
5.880	30	0.032	2952
5.880	30	0.040	2734
5.895	42	0.032	2458
5.895	42	0.032	2152
5.895	30	0.040	2744
5.895	42	0.032	2355
5.895	42	0.030	2614
5.895	42	0.032	2352
5.910	20	0.040	2512
5.910	20	0.040	2520
5.910	20	0.032	2250
5.910	20	0.032	2251
5.940	26	0.040	2483
5.940	26	0.040	2485
5.940	36	0.032	2939
5.940	29 in 30	0.040	2746
5.949	59	0.032	2218

Allomatic Friction Dimensions

5.950	36	0.032	2212
5.958	40	0.040	2920
5.970	33 IN 44	0.075	2389
5.972	36	0.032	2205
5.975	40	0.032	2206
5.980	3	0.040	2431
5.980	49	0.035	2222
5.985	51	0.040	2113
5.985	48	0.032	2076
5.990	51	0.032	2074
6.010	30	0.040	2936
6.030	41	0.040	2651
6.030	41	0.040	2656
6.030	41	0.040	2701
6.030	41	0.040	2713
6.035	44	0.032	2906
6.062	50	0.032	2521
6.063	32	0.041	2634
6.063	31 IN 32	0.032	2632
6.063	31 IN 32	0.032	2635
6.063	31 IN 32	0.032	2636
6.075	36 IN 48	0.032	2234
6.080	54	0.032	2709
6.080	42	0.032	2384
6.080	54	0.032	2530
6.080	54	0.032	2532
6.085	20	0.032	2771
6.085	20	0.048	2774
6.094	32	0.032	2790
6.094	32	0.032	2785
6.100	36	0.051	2588
6.100	30	0.048	2778
6.140	64	0.032	2772
6.140	64	0.040	2773
6.140	33	0.032	2775
6.140	32	0.032	2665
6.150	3	0.040	2975
6.160	40	0.032	2675
6.180	56	0.040	2564
6.184	54	0.040	2538
6.185	40	0.040	2914
6.185	30	0.032	2100
6.185	30	0.032	2101
6.185	40	0.032	2922
6.200	54	0.035	2082
6.230	40	0.032	2194
6.250	24	0.040	2160
6.254	51	0.040	2481
6.254	53	0.040	2487
6.270	8	0.040	2799
6.270	90 IN 96	0.040	2391
6.270	48	0.040	2392

Allomatic Friction Dimensions

6.290	55	0.040	2537
6.299	33	0.040	2823
6.299	33	0.040	2822
6.300	40	0.035	2814
6.300	40	0.035	2715
6.325	40	0.032	2904
6.325	32 in 40	0.032	2907
6.350	60	0.040	2155
6.365	57 IN 60	0.035	2454
6.365	90 IN 96	0.035	2762
6.365	90 IN 96	0.035	2361
6.365	90 IN 96	0.035	2047
6.367	40	0.032	2202
6.367	36	0.032	2203
6.378	32	0.035	2496
6.378	32	0.035	2492
6.378	32	0.035	2495
6.385	76	0.040	2397
6.389	64	0.035	2048
6.389	64	0.035	2042
6.389	64	0.035	2432
6.389	64	0.035	2046
6.400	36	0.040	2811
6.400	36	0.040	2806
6.410	53	0.040	2482
6.415	40	0.032	2910
6.435	40	0.032	2198
6.450	32	0.032	2756
6.450	32	0.040	2753
6.466	12	0.040	2802
6.468	25	0.040	2323
6.468	25	0.032	2252
6.468	25	0.032	2657
6.468	25	0.032	2253
6.468	25	0.040	2523
6.468	25	0.040	2324
6.475	24	0.040	2961
6.475	24	0.040	2985
6.475	24	0.040	2992
6.480	36	0.032	2697
6.480	36	0.032	2693
6.485	12	0.040	2796
6.500	40	0.040	2661
6.515	40	0.032	2695
6.520	54	0.040	2539
6.530	24	0.040	2036
6.535	30	0.032	2086
6.555	30	0.032	2247
6.560	47	0.030	2360
6.560	47	0.032	2660
6.560	47	0.032	2460
6.560	47	0.032	2463

Allomatic Friction Dimensions

6.570	30	0.032	2749
6.579	36	0.032	2541
6.594	60	0.035	2045
6.594	59	0.035	2396
6.595	36	0.059	2585
6.595	40	0.032	2154
6.595	50	0.040	2729
6.610	36	0.032	2515
6.610	50	0.040	2770
6.630	40	0.032	2779
6.667	36	0.040	2933
6.685	29/30	0.032	2830
6.693	36	0.032	2327
6.700	40	0.032	2915
6.700	93	0.032	2533
6.703	36	0.040	2803
6.703	62	0.032	2679
6.703	62	0.032	2581
6.703	62	0.032	2591
6.703	62	0.032	2582
6.703	62	0.032	2592
6.708	36	0.040	2663
6.715	56	0.040	2566
6.724	6	0.040	2797
6.795	24	0.035	2049
6.798	72	0.035	2393
6.798	72	0.035	2450
6.798	72	0.035	2350
6.810	36	0.048	2550
6.810	50	0.040	2669
6.812	53	0.040	2987
6.815	30	0.032	2692
6.845	36	0.032	2340
6.846	32	0.035	2491
6.865	30	0.059	2586
6.885	45	0.032	2843
6.887	70	0.035	2944
6.887	70	0.035	2943
6.890	36	0.032	2572
6.925	36	0.040	2067
6.943	8	0.040	2864
6.955	10	0.079	2062
7.000	54	0.032	2189
7.005	3	0.040	2971
7.025	30	0.032	2421
7.025	30	0.032	2857
7.030	30	0.032	2085
7.030	40	0.032	2761
7.030	30	0.032	2087
7.065	36	0.048	2552
7.071	44	0.041	2623
7.073	60	0.035	2225

Allomatic Friction Dimensions

7.073	60	0.035	2224
7.074	48	0.032	2844
7.080	36	0.048	2551
7.080	29 of 30	0.048	2560
7.090	46	0.032	2696
7.170	12	0.040	2721
7.170	12	0.040	2718
7.180	36	0.048	2332
7.183	30	0.040	2620
7.210	6	0.040	2068
7.228	36	0.032	2188
7.230	75	0.040	2946
7.230	40	0.035	2263
7.230	40	0.035	2262
7.240	40	0.040	2565
7.245	20	0.040	2948
7.300	60	0.032	2461
7.305	60	0.040	2536
7.305	36	0.048	2553
7.375	30	0.032	2172
7.375	30	0.032	2170
7.450	60	0.040	2511
7.450	60	0.040	2519
7.485	3	0.040	2972
7.492	36	0.060	2583
7.510	24	0.040	2643
7.518	54	0.040	2486
7.518	54	0.040	2484
7.540	32	0.032	2666
7.651	36	0.040	2187
7.660	48	0.040	2664
7.715	58	0.032	2854
7.720	58	0.032	2853
7.720	32	0.032	2848
7.755	30	0.032	2422
7.790	60	0.040	2050
7.793	50	0.035	2043
7.793	50	0.040	2053
7.800	96	0.040	2398
7.805	24	0.040	2394
7.810	18	0.060	2584
7.841	3 PAIR	0.040	2800
7.874	36	0.040	2184
7.975	24	0.068	2674
8.032	38	0.068	2626
8.040	30	0.032	2782
8.110	40	0.032	2493
8.160	60	0.040	2612
8.198	36	0.032	2337
8.240	36	0.032	2339
8.430	24	0.069	2420
8.614	32	0.032	2233

Allomatic Friction Dimensions

8.660	115	0.040	2645
8.670	117	0.040	2644
8.688	32	0.035	2041
8.688	32	0.035	2040
8.688	32	0.035	2051
8.690	64	0.035	2044
8.710	32	0.040	2395
9.125	80	0.040	2613
9.538	77	0.041	2616
9.538	77	0.041	2622
9.949	84	0.040	2615
9.949	84	0.040	2625
10.011	81	0.068	2624
10.115	43	0.079	2061
10.545	82 of 84	0.040	2611
10.841	50	0.068	2621
10.960	46	0.070	2060
10.960	46	0.070	2059
12.362	99	0.068	2627
12.630	77	0.086	2628
12.630	77	0.087	2629
12.633	76	0.087	2630
12.944	82	0.087	2617
12.970	18	0.079	2063